

KASK

KASK QUALITY

OCTOFIT+ MANAGEMENT

KASK

KASK QUALITY

OCTOFIT+

How to remove the non-compliant regulation system

Video 1

Video 1 **KASK**




1. Cut the regulator as indicated in the picture in both R&L side. Take care to move the chinstrap away from the regulator so as not to cut the tapes



2. Cut the arm of the top central part of the regulation system

3. Unhook the 3 arms (the central one and the two lateral ones) and remove it



KASK

KASK QUALITY

OCTOFIT+

How to replace the regulation system

Video 2

Video 2 KASK

1. Open the right cover by using a little flat tip screwdriver; insert it into the lateral split and do a little twist




2. Let both chinstraps pass through the central part of the system as indicated in the picture

2.1



2.2



2.3




3. Reset the arm in its initial position and close the cover by inserting it from the top to the bottom. When you will hear a «click», it means that the closure has been correctly done

3.1




3.2



4. Insert the single central arm in the plastic part inside the shell



5. Insert the other two arms in both R&L side parts. When you will hear a «click», it means that the arms have been correctly fastened



6. Let the chinstrap tape pass through the breach. Take care that the tapes have not to twist on themselves



7. (Optional Step) We suggest you to put two little super glue drops on the breaks; pay the maximum attention not to get the chinstrap tapes dirty



8. Put the foam by following its figure and press hardly



9. Check that the glue has not got dirty the chinstrap tape and that it does not prevent the tapes from moving correctly

10. Your ICON is ready to use